

[Bereifung] Tabelle: Tragfähigkeitsindex / Tragfähigkeit in kg

Tragfähigkeits- index 60 - 87	Tragfähigkeit 250 - 545 kg	Tragfähigkeits- index 88 - 115	Tragfähigkeit 560 - 1215 kg	Tragfähigkeits- index 116 - 143	Tragfähigkeit 1250 - 2725 kg	Tragfähigkeits- index 144 - 170	Tragfähigkeit 2800 - 6000 kg
60	250	88	560	116	1250	144	2800
61	257	89	580	117	1285	145	2900
62	265	90	600	118	1320	146	3000
63	272	91	615	119	1360	147	3075
64	280	92	630	120	1400	148	3875
65	290	93	650	121	1450	149	3250
66	300	94	670	122	1500	150	3350
67	307	95	690	123	1550	151	3450
68	315	96	710	124	1600	152	3550
69	325	97	730	125	1650	153	3650
70	335	98	750	126	1700	154	3750
71	345	99	775	127	1750	155	3875
72	355	100	800	128	1800	156	4000
73	365	101	825	129	1850	157	4125
74	375	102	850	130	1900	158	4250
75	385	103	875	131	1950	159	4375
76	400	104	900	132	2000	160	4500
77	412	105	925	133	2060	161	4625
78	425	106	950	134	2120	162	4750
79	437	107	975	135	2180	163	4875
80	450	108	1000	136	2240	164	5000
81	462	109	1030	137	2300	165	5150
82	475	110	1060	138	2360	166	5300
83	487	111	1090	139	2430	167	5450
84	500	112	1120	140	2500	168	5600
85	515	113	1150	141	2575	169	5800
86	530	114	1180	142	2650	170	6000
87	545	115	1215	143	2725		